

Industry





## Eccotarp collapsible railway bund

Collapsible spill bund designed for use on railway tracks. The bund is designed to protect the environment, persons and objects from hazardous leaks from trains and other rail vehicles. The special design was developed to accurately copy the track gauge as well as to function without the support of the tracks. Ideal for use during railway accidents, at railway stations, in depots, near standing loaded tanker rail cars, etc.




- Designed to accurately fit between the rail tracks (gauge 1435 mm)
- Possibility of fitting round any object
- Quick assembly
- Easy handling
- Maximum carrying capacity 200 kg
- Volume 800 I
- Side supports to ensure higher stability
- Optional drain hole GEKA PLUS 1

Designed specifically for railway applications







## **Technical details**

The railway bunds are self-supporting, made from PVC with a protective proofing layer (PES/PVC 680 g/m²). The material is oil and acid resistant (see Chemical resistance certificate). Due to reinforcements in the side walls the spill bunds are rigid and self-supporting. Stability is ensured by means of added side supports. Side handles are attached for easy handling. The spill bund can be easily and quickly unfolded to a flat surface to be washed. The bund can be optionally fitted with a brass drain hole GEKA PLUS 1. The maximum carrying capacity is 200 kg. The temperature range for using the bund is from -30 °C to +70 °C.

Туре	Dimensions of assembled bund $(d \times w \times h)$	Dimensions in transport (disassembled) state (d $\times$ w $\times$ h)	Volume	Weight
Eccotarp collapsible railway bund	1210 × 2500 × 330 mm	920 × 500 × 170 mm	800 I	12 kg